



# HUMPHREE®

AUTHORIZED DISTRIBUTOR

## FAIRLINE TARGA 65 GTO




**Humphree Interceptors:** 2x HE750mm, 75mm blade deployment

**Humphree Control systems:** Active + stabilisation

**Propulsion:** 2x MAN V8 1200 shaft drive

### Data:

- Top speed: 33.3 knots
- LOA: 19.96 m (65')
- Beam: 5.23 m (17'2")
- Displacement: 34000 kg



### Results:



- Speed increase of approximately 1 knot at hump speed when using Automatic Trim Control
- Bow trim was reduced with 2° at hump speed, good visibility
- 2% fuel savings at hump speed
- Automatic List Control makes a more comfortable and stable navigation
- Active + improves turns during navigation and reduces roll and pitch effectively



# HUMPHREE®

AUTHORIZED DISTRIBUTOR

## SEA TRIAL RESULTS





For more information contact  
[www.cambermarine.com](http://www.cambermarine.com) or send us an email to  
[info@cambermarine.com](mailto:info@cambermarine.com)



# HUMPHREE®

AUTHORIZED DISTRIBUTOR



For more information contact  
[www.cambermarine.com](http://www.cambermarine.com) or send us an email to  
[info@cambermarine.com](mailto:info@cambermarine.com)